

Büling

EURO

– made in Germany –

**Plastic lids and plate cloches
matching
opal glass system tableware
for communal catering**



CAREWARETM
Durable & Secure Glass

**Price list 01.01.2024
for the specialized trade**

**The articles are compatible with
all common food distribution systems.**



Hubert Büling GmbH & Co. KG

**Schulstraße 8 • D-33014 Bad Driburg • Tel.: +49 5253 2359 • Fax: +49 5253 4526
www.buelling-euro-deckel.com • info@buelling-euro-deckel.com**



Table of content

	Page		Page
EURO plate cloche for PLATE Ø 255 mm		EURO lid round for BOWL Ø 120 mm	
2028-1-2 Ø 267 mm	2	0979.47 Ø 128 mm	13
2028-1-1 Ø 267 mm	2	7307.04 Ø 128 mm	13
2028-1-4 Ø 267 mm	2	7307.02 Ø 128 mm	13
2028-1-5 Ø 267 mm	2	0979.97 Ø 128 mm	13
EURO plate cloche for PLATE Ø 235 mm, Ø 228 mm, Ø 226 mm		7307.13 Ø 128 mm	13
2029-0-2 Ø 240 mm	3	0979.27 Ø 128 mm	13
2029-0-1 Ø 240 mm	3	7307.24 Ø 128 mm	13
2029-0-4 Ø 240 mm	3	7200.45 Ø 125 mm	14
2029-0-5 Ø 240 mm	3	7200.95 Ø 125 mm	14
2029-0-6 Ø 240 mm	4	7200.48 Ø 125 mm	14
2029-1-1 Ø 240 mm	4	7200.21 Ø 125 mm	14
2029-1-2 Ø 240 mm	4	7200.47 Ø 125 mm	14
EURO plate cloche for PLATE Ø 228 mm		4125.20 Ø 125 mm	15
7690.46 Ø 225 mm	5	4125.30 Ø 125 mm	15
7690.48 Ø 225 mm	5	EURO lid round for BOWL Ø 105 mm	
7690.44 Ø 225 mm	5	7140.48 Ø 110 mm	16
EURO plate cloche for PLATE Ø 195 mm		7140.91 Ø 110 mm	16
1447.02 Ø 210 mm	5	7140.21 Ø 110 mm	16
EURO lid square for BOWL 110 x 110 mm		4111.20 Ø 111 mm	16
7249.47 110 x 110 x 30 mm	7	4111.30 Ø 111 mm	16
7249.44 110 x 110 x 30 mm	7	EURO lid round for CUP CONSOMME	
7249.95 110 x 110 x 30 mm	7	7307.27 Ø 109 mm	17
7249.45 110 x 110 x 30 mm	7	7307.30 Ø 109 mm	17
1045.48 110 x 110 x 16 mm	8	7307.29 Ø 109 mm	17
1045.51 110 x 110 x 16 mm	8	7307.28 Ø 109 mm	17
1045.83 110 x 110 x 16 mm	8	7307.26 Ø 109 mm	17
1045.46 110 x 110 x 16 mm	8	EURO lid round for BOWL Ø 100 mm	
EURO lid round for BOWL Ø 194 mm		7108.46 Ø 108 mm	18
0979.74 Ø 200 mm	9	7108.49 Ø 108 mm	18
0979.33 Ø 200 mm	9	7108.91 Ø 108 mm	18
7307.01 Ø 200 mm	9	7108.95 Ø 108 mm	18
0979.99 Ø 200 mm	9	7108.21 Ø 108 mm	18
0979.98 Ø 200 mm	9	7108.79 Ø 108 mm	18
0979.32 Ø 200 mm	9	7108.25 Ø 108 mm	18
EURO lid round for BOWL Ø 170 mm		EURO lid round for CUP Ø 108,75 mm & TUMBLER Ø 84 mm	
0979.42 Ø 180 mm	10	1192.98 Ø 92 mm	19
7307.05 Ø 180 mm	10	EURO lid round for TUMBLER Ø 77,5 mm	
7307.15 Ø 180 mm	10	1192.47 Ø 85 mm	19
0979.92 Ø 180 mm	10	1192.71 Ø 85 mm	19
7307.06 Ø 180 mm	10	1192.96 Ø 85 mm	19
0979.22 Ø 180 mm	10	1192.21 Ø 85 mm	19
1049-0-2 Ø 175 mm	11	EURO lid round for CUP Ø 80 mm & TUMBLER Ø 75 mm	
EURO lid round for BOWL Ø 140 mm		4083.20 Ø 83 mm	20
0979.44 Ø 145 mm	11	4083.30 Ø 83 mm	20
7307.03 Ø 145 mm	11	EURO lid round for CUP Ø 97 mm & MUG Ø 104,5 mm & TUMBLER Ø 75,5 mm	
0979.94 Ø 145 mm	11	1192.42 Ø 82 mm	21
7307.08 Ø 145 mm	11	1192.97 Ø 82 mm	21
0979.24 Ø 145 mm	11	1192.72 Ø 82 mm	21
EURO lid round for BOWL Ø 136 mm		EURO lid round for TUMBLER Ø 71 mm	
7451.45 Ø 142 mm	12	1228.02 Ø 80 mm	21
7307.03 Ø 145 mm	12	EURO product properties	
7307.08 Ø 145 mm	12	General terms and conditions	
7307.16 Ø 140 mm	12		

Temperature resistance

PBT = Polybutylene terephthalate -40°C to 160°C
 PC = Polycarbonate -40°C to 120°C
 Si = Silicone.....-40°C to 200 °C

PP = Polypropylene..... -20°C to 90°C
 SEBS = Styrene-ethylene-butylene-styrene.... -50°C to 100°C

EURO plate cloches Ø 267 mm for PLATE Ø 255 mm

SICURA plate 4.15517

UNIVERSAL plate 4.15511

MENU 3 SECTIONS plate 6.63685

**2028-1-2**

EURO plate cloche, grey, PBT

Ø 267 mm, 40 mm high

stackable, with handle, overlapping rim

heat resistant: -40°C to 160°C

Height 11 pcs. 175 mm

190 g, PU 25 pcs.

**2028-1-1**

EURO plate cloche, clear, PC

Ø 267 mm, 40 mm high

stackable, with handle, overlapping rim

heat resistant: -40°C to 120°C

Height 11 pcs. 175 mm

180 g, PU 25 pcs.

**2028-1-4**

EURO plate cloche, cream, PP

Ø 267 mm, 40 mm high

stackable, with handle, overlapping rim

heat resistant: -20°C to 90°C

Height 11 pcs. 175 mm

148 g, PU 25 pcs.

**2028-1-5**

EURO plate cloche, transparent, PP

Ø 267 mm, 40 mm high

stackable, with handle, overlapping rim

heat resistant: -20°C to 90°C

Height 11 pcs. 175 mm

145 g, PU 25 pcs.

EURO plate cloches Ø 240 mm for PLATE Ø 235, Ø 228, Ø 226 mm

SICURA plate 4.15514

SICURA DEEP plate 4.05811

UNIVERSAL plate 4.15512

UNIVERSAL DEEP plate 4.05882

CONTACT plate 6.63683

CONTACT 2 SECTIONS plate 6.63684

**2029-0-2**

EURO plate cloche, grey, PBT

Ø 240 mm, 40 mm high

stackable, with handle, overlapping rim

heat resistant: -40°C to 160°C

Height 11 pcs. 175 mm

179 g, PU 25 pcs.

**2029-0-1**

EURO plate cloche, clear, PC

Ø 240 mm, 40 mm high

stackable, with handle, overlapping rim

heat resistant: -40°C to 120°C

Height 11 pcs. 175 mm

170 g, PU 25 pcs.

**2029-0-4**

EURO plate cloche, cream, PP

Ø 240 mm, 40 mm high

stackable, with handle, overlapping rim

heat resistant: -20°C to 90°C

Height 11 pcs. 175 mm

126 g, PU 25 pcs.

**2029-0-5**

EURO plate cloche, transparent, PP

Ø 240 mm, 40 mm high

stackable, with handle, overlapping rim

heat resistant: -20°C to 90°C

Height 11 pcs. 175 mm

120 g, PU 25 pcs.

EURO plate cloches Ø 240 mm for PLATE Ø 235, Ø 228, Ø 226 mm

SICURA plate 4.15514

SICURA DEEP plate 4.05811

UNIVERSAL plate 4.15512

UNIVERSAL DEEP plate 4.05882

CONTACT plate 6.63683

CONTACT 2 SECTIONS plate 6.63684



2029-0-6

EURO plate cloche, blue, PBT

Ø 240 mm, 40 mm high

stackable, with handle, overlapping rim

heat resistant: -40°C to 160°C

Height 11 pcs. 175 mm

180 g, PU 25 pcs.



2029-1-1

EURO plate cloche, dark grey, PBT

Ø 240 mm, 44 mm high

stackable, with handle, overlapping rim

heat resistant: -40°C to 160°C

Height 11 pcs. 166 mm

186 g, PU 25 pcs.



2029-1-2

EURO plate cloche, transparent, PP

Ø 240 mm, 44 mm high

stackable, with handle, overlapping rim

heat resistant: -20°C to 90°C

Height 11 pcs. 166 mm

116 g, PU 25 pcs.



EURO plate cloches Ø 225 mm for PLATE Ø 228 mm

CONTACT plate 6.63683

CONTACT 2 SECTIONS plate 6.63684

**7690.46**

EURO plate cloche, clear, PC

Ø 225 mm, 40 mm high

stackable, with handle, inner rim, with hole
heat resistant: -40°C to 120°C

Height 11 pcs. 150 mm

161 g, PU 35 pcs.

**7690.48**

EURO plate cloche, transparent, PP

Ø 225 mm, 40 mm high

stackable, with handle, inner rim, with hole
heat resistant: -20°C to 90°C

Height 11 pcs. 150 mm

117 g, PU 35 pcs.

**7690.44**

EURO plate cloche, grey, PBT

Ø 225 mm, 40 mm high

stackable, with handle, inner rim, with hole
heat resistant: -40°C to 160°C

Height 11 pcs. 150 mm

174 g, PU 35 pcs.

EURO plate cloche Ø 210 mm for PLATE Ø 195 mm

SICURA plate 4.05812

UNIVERSAL plate 4.15513

**1447.02**

EURO plate cloche, white, PP

Ø 210 mm, 55 mm high

stackable, overlapping rim, with hole
heat resistant: -20°C to 90°C

Height 11 pcs. 164 mm

110 g, PU 25 pcs.



EURO lids square 110 x 110 mm for SQUARE BOWL 110 x 110 mm
SQUARE BOWL 26 CL 6.63680

**7249.47**

EURO lid square, clear, PC

110 x 110 x 30 mm

inner rim

stackable, high

heat resistant: -40°C to 120°C

Height 11 pcs. 190 mm

59 g, PU 100 pcs.

**7249.44**

EURO lid square, transparent, PP

110 x 110 x 30 mm

inner rim

stackable, high

heat resistant: -20°C to 90°C

Height 11 pcs. 190 mm

44 g, PU 100 pcs.

**7249.95**

EURO lid square, blue, PP

110 x 110 x 30 mm

inner rim

stackable, high

heat resistant: -20°C to 90°C

Height 11 pcs. 190 mm

50 g, PU 100 pcs.

**7249.45**

EURO lid square, grey, PC

110 x 110 x 30 mm

inner rim

stackable, high

heat resistant: -40°C to 120°C

Height 11 pcs. 190 mm

60 g, PU 100 pcs.

EURO lids square 110 x 110 mm for SQUARE BOWL 110 x 110 mm
SQUARE BOWL 26 CL 6.63680

**1045.48**

EURO lid square, clear, PC

110 x 110 x 16 mm

inner rim

stackable, flat

heat resistant: -40°C to 120°C

Height 11 pcs. 180 mm

52 g, PU 100 pcs.

**1045.51**

EURO lid square, transparent, PP

110 x 110 x 16 mm

inner rim

stackable, flat

heat resistant: -20°C to 90°C

Height 11 pcs. 180 mm

39 g, PU 100 pcs.

**1045.83**

EURO lid square, blue, PP

110 x 110 x 16 mm

inner rim

stackable, flat

heat resistant: -20°C to 90°C

Height 11 pcs. 180 mm

39 g, PU 100 pcs.

**1045.46**

EURO lid square, grey, PP

110 x 110 x 16 mm

inner rim

stackable, flat

heat resistant: -20°C to 90°C

Height 11 pcs. 180 mm

39 g, PU 100 pcs.

EURO lids Ø 200 mm for BOWL Ø 194 mm

STACKABLE CYLINDRICAL BOWL 105 CL 6.63682

**0979.74**

EURO lid, grey, PP

Ø 200 mm, inner rim

heat resistant: -20°C to 90°C

144 g, PU 40 pcs.

0979.33 grey, PBT

heat resistant: -40°C to 160°C

194 g, PU 40 pcs.

7307.01 grey, SEBS

slosh-proof, flexible

heat resistant: -50°C to 100°C

189 g, PU 30 pcs.

**0979.99**

EURO lid, blue, PP

Ø 200 mm, inner rim

heat resistant: -20°C to 90°C

144 g, PU 40 pcs.

0979.98 blue, PBT

heat resistant: -40°C to 160°C

194 g, PU 40 pcs.

**0979.32**

EURO lid, brown, PP

Ø 200 mm, inner rim

heat resistant: -20°C to 90°C

140 g, PU 40 pcs.

EURO lids Ø 180 mm for BOWL Ø 170 mm

STACKABLE BOWL 92,5 CL 4.05878

STACKABLE HIGH RIM BOWL 106 CL 4.15518

**0979.42**

EURO lid, grey, PP

Ø 180 mm, inner rim

heat resistant: -20°C to 90°C

107 g, PU 50 pcs.

7307.05 grey, PBT

heat resistant: -40°C to 160°C

150 g, PU 50 pcs.

7307.15 grey, SEBS

slosh-proof, flexible

heat resistant: -50°C to 100°C

139 g, PU 50 pcs.

**0979.92**

EURO lid, blue, PP

Ø 180 mm, inner rim

heat resistant: -20°C to 90°C

107 g, PU 50 pcs.

7307.06 blue, PBT

heat resistant: -40°C to 160°C

150 g, PU 50 pcs.

**0979.22**

EURO lid, brown, PP

Ø 180 mm, inner rim

heat resistant: -20°C to 90°C

107 g, PU 50 pcs.



plastic covers matching



CAREWARE™
Durable & Secure Glass

Büling

EURO lid Ø 175 mm for POMPEI BOWL Ø 170 mm

POMPEI BOWL 106 CL 4.17050



1049-0-2

EURO lid, grey, PP

Ø 175 mm, overlapping rim

heat resistant: -20°C to 90°C

76 g, PU 80 pcs.

EURO lids Ø 145 mm for BOWL Ø 140 mm

STACKABLE BOWL 50 CL 4.05877

POMPEI BOWL 57 CL 4.17040



0979.44

EURO lid, grey, PP

Ø 145 mm, inner rim

heat resistant: -20°C to 90°C

71 g, PU 100 pcs.

7307.03

EURO lid, grey, PBT

heat resistant: -40°C to 160°C

101 g, PU 100 pcs.



0979.94

EURO lid, blue, PP

Ø 145 mm, inner rim

heat resistant: -20°C to 90°C

71 g, PU 100 pcs.

7307.08

EURO lid, blue, PBT

heat resistant: -40°C to 160°C

101 g, PU 100 pcs.



0979.24

EURO lid, brown, PP

Ø 145 mm, inner rim

heat resistant: -20°C to 90°C

71 g, PU 100 pcs.

Prices are exclusive of VAT, a 2% cash discount is granted for payment within 14 days.
Free delivery from an order value of 100 EUR in Germany and from 250 EUR to Belgium, France, Netherlands, Austria.
Freight costs for other countries after consultation.

EURO lids Ø 142 mm, Ø 145 mm, Ø 140 mm for BOWL Ø 136 mm
STACKABLE BOWL 60 CL 4.05880



7451.45

EURO lid, clear, PC

Ø 142 mm, 30 mm high, overlapping rim
stackable

heat resistant: -40°C to 120°C

Height 11 pcs. 130 mm
70 g, PU 100 pcs.



7307.03

EURO lid, grey, PBT

Ø 145 mm, inner rim

heat resistant: -40°C to 160°C

101 g, PU 100 pcs.



7307.08

EURO lid, blue, PBT

Ø 145 mm, inner rim

heat resistant: -40°C to 160°C

101 g, PU 100 pcs.



7307.16

EURO lid, grey, SEBS

Ø 140 mm, inner rim

slosh-proof, flexible

heat resistant: -50°C to 100°C

98 g, PU 80 pcs.



EURO lids Ø 128 mm for BOWL Ø 120 mm

STACKABLE CYLINDRICAL BOWL 40 CL 4.41254

STACKABLE SOUP BOWL 40 CL 4.15519

STACKABLE BOWL 31,5 CL 4.15515

POMPEI BOWL 35 CL 4.17030

**0979.47**

EURO lid, grey, PP

Ø 128 mm, inner rim

heat resistant: -20°C to 90°C 57 g, PU 100 pcs.

7307.04

EURO lid, grey, PBT

heat resistant: -40°C to 160°C 81 g, PU 100 pcs.

7307.02

EURO lid, grey, SEBS

Ø 128 mm, inner rim, slosh-proof, flexible 

heat resistant: -50°C to 100°C

78 g, PU 90 pcs.

**0979.97**

EURO lid, blue, PP

Ø 128 mm, inner rim

heat resistant: -20°C to 90°C

57 g, PU 100 pcs.

7307.13

EURO lid, blue, PBT

heat resistant: -40°C to 160°C

81 g, PU 100 pcs.

**0979.27**

EURO lid, brown, PP


Ø 128 mm, inner rim

heat resistant: -20°C to 90°C

58 g, PU 100 pcs.

**7307.24**

EURO lid, russet, SEBS

Ø 128 mm, inner rim, slosh-proof, flexible 

heat resistant: -50°C to 100°C

78 g, PU 90 pcs.

EURO lids Ø 125 mm for BOWL Ø 120 mm

STACKABLE CYLINDRICAL BOWL 40 CL 4.41254

STACKABLE SOUP BOWL 40 CL 4.15519

STACKABLE BOWL 31,5 CL 4.15515

POMPEI BOWL 35 CL 4.17030

**7200.45**

EURO lid, grey, PP

Ø 125 mm, overlapping rim, with hole
heat resistant: -20°C to 90°C

27 g, PU 170 pcs.

**7200.95**

EURO lid, blue, PP

Ø 125 mm, overlapping rim, with hole
heat resistant: -20°C to 90°C

27 g, PU 170 pcs.

**7200.48**

EURO lid, transparent, PP

Ø 125 mm, overlapping rim, with hole
heat resistant: -20°C to 90°C

27 g, PU 170 pcs.

**7200.21**

EURO lid, brown, PP

Ø 125 mm, overlapping rim, with hole
heat resistant: -20°C to 90°C

27 g, PU 170 pcs.

**7200.47**

EURO lid, pearly white, PBT

Ø 125 mm, overlapping rim, with hole
heat resistant: -40°C to 160°C

38 g, PU 170 pcs.

EURO silicone lids Ø 125 mm for BOWL Ø 120 mm

STACKABLE CYLINDRICAL BOWL 40 CL 4.41254

POMPEI BOWL 35 CL 4.17030

**4125.20**

EURO silicone lid, blue, Si

Ø 125 mm, rim: inner and overlapping
leak-proof, with hole

heat resistant: -40°C bis 200°C

46 g, PU 100 pcs.

**4125.30**

EURO silicone lid, red, Si

Ø 125 mm, rim: inner and overlapping
leak-proof, with hole

heat resistant: -40°C bis 200°C

46 g, PU 100 pcs.



Prices are exclusive of VAT, a 2% cash discount is granted for payment within 14 days.
Free delivery from an order value of 100 EUR in Germany and from 250 EUR to Belgium, France, Netherlands, Austria.
Freight costs for other countries after consultation.

EURO lids Ø 110 mm, Ø 111 mm for BOWL Ø 105 mm
POMPEI BOWL 24 CL 4.17020



7140.48

EURO lid, grey, PBT

Ø 110 mm, overlapping rim, with hole
heat resistant: -40°C bis 160°C

28 g, PU 180 pcs.



7140.91

EURO lid, blue, PBT

Ø 110 mm, overlapping rim, with hole
heat resistant: -40°C bis 160°C

28 g, PU 180 pcs.



7140.21

EURO lid, brown, PBT

Ø 110 mm, overlapping rim, with hole
heat resistant: -40°C bis 160°C

28 g, PU 180 pcs.



4111.20

EURO silicone lid, blue, Si

Ø 111 mm, rim: inner and overlapping
leak-proof, with hole
heat resistant: -40°C bis 200°C

39 g, PU 100 pcs.



4111.30

EURO silicone lid, red, Si

Ø 111 mm, rim: inner and overlapping
leak-proof, with hole
heat resistant: -40°C bis 200°C

39 g, PU 100 pcs.

EURO lids Ø 109 mm for CUP CONSOMME

STACKING CUP CONSOMME 32 CL 4.15520

**7307.27**


EURO lid, grey, PBT

Ø 109 mm, inner rim, with hole
heat resistant -40°C to 160°C

48 g, PU 120 pcs.

**7307.30**

EURO lid, grey, SEBS

Ø 109 mm, inner rim, with hole
slosh-proof, flexible 
heat resistant -50°C to 100°C

44 g, PU 120 pcs.

**7307.29**


EURO lid, blue, PBT

Ø 109 mm, inner rim, with hole
heat resistant -40°C to 160°C

48 g, PU 120 pcs.

**7307.28**


EURO lid, blue, SEBS

Ø 109 mm, inner rim, with hole
slosh-proof, flexible 
heat resistant -50°C to 100°C

44 g, PU 120 pcs.

**7307.26**

EURO lid, russet, SEBS

Ø 109 mm, inner rim, with hole
slosh-proof, flexible 
heat resistant -50°C to 100°C

44 g, PU 120 pcs.

EURO lids Ø 108 mm for BOWL Ø 100 mm

STACKABLE CYLINDRICAL DEEP BOWL 36 CL 4.41253

STACKABLE CYLINDRICAL BOWL 26,5 CL 4.41252

STACKABLE BOWL 17,6 CL 4.05876 STACKING CUP CONSOMME 32 CL 4.15520

**7108.46**

EURO lid, grey, PP

Ø 108 mm, overlapping rim, with hole

heat resistant: -20°C bis 90°C

21 g, PU 250 pcs.

7108.49 grey, PBT

heat resistant: -40°C bis 160°C

30 g, PU 250 pcs.

**7108.91**

EURO lid, blue, PP

Ø 108 mm, overlapping rim, with hole

heat resistant: -20°C bis 90°C

21 g, PU 250 pcs.

7108.95 blue, PBT

heat resistant: -40°C bis 160°C

30 g, PU 250 pcs.

**7108.21**

EURO lid, brown, PP

Ø 108 mm, overlapping rim, with hole

heat resistant: -20°C bis 90°C

21 g, PU 250 pcs.

7108.79

EURO lid, light grey, PBT

Ø 108 mm, overlapping rim, with hole


heat resistant: -40°C bis 160°C

30 g, PU 250 pcs.

**7108.25**

EURO lid, russet, SEBS

Ø 108 mm, overlapping rim, with hole

slosh-proof, flexible 

heat resistant: -50°C bis 100°C

32 g, PU 250 pcs.



EURO lids Ø 92 mm for CUP Ø 108,75 mm, TUMBLER Ø 84 mm

STACKING CUP 22 CL 4.05832

ROCK BAR 27 CL 5.17530

**1192.98**

EURO lid, grey, PP

Ø 92 mm, overlapping rim, with hole
heat resistant -20°C to 90°C

18 g, PU 100 pcs.

Preis
gesenkt**EURO lids Ø 85 mm for TUMBLER Ø 77,5 mm**

HABANA 22 CL 5.17490

**1192.47**

EURO lid, grey, PP

Ø 85 mm, overlapping rim, with hole
heat resistant: -20°C to 90°C

15 g, PU 400 pcs.

1192.71

EURO lid, grey, PBT

heat resistant: -40°C to 160°C

23 g, PU 400 pcs.

**1192.96**

EURO lid, blue, PP

Ø 85 mm, overlapping rim, with hole
heat resistant: -20°C to 90°C

15 g, PU 400 pcs.

**1192.21**

EURO lid, brown, PP

Ø 85 mm, overlapping rim, with hole
heat resistant: -20°C to 90°C

15 g, PU 400 pcs.

Prices are exclusive of VAT, a 2% cash discount is granted for payment within 14 days.
Free delivery from an order value of 100 EUR in Germany and from 250 EUR to Belgium, France, Netherlands, Austria.
Freight costs for other countries after consultation.

EURO lids Ø 83 mm for CUP Ø 80 mm

CYLINDRICAL CUP 22 CL 4.00899

**4083.20**

EURO silicone lid, blue, Si

Ø 83 mm, rim: inner and overlapping
leak-proof, with hole

heat resistant: -40°C bis 200°C

18 g, PU 200 pcs.

**4083.30**

EURO silicone lid, red, Si

Ø 83 mm, rim: inner and overlapping
leak-proof, with hole

heat resistant: -40°C bis 200°C

18 g, PU 200 pcs.

EURO lids Ø 83 mm for TUMBLER Ø 75 mm

ROCK BAR 20 CL 5.17520

**4083.20**

EURO silicone lid, blue, Si

Ø 83 mm, rim: inner and overlapping
leak-proof, with hole

heat resistant: -40°C bis 200°C

18 g, PU 200 pcs.

**4083.20**

EURO silicone lid, red, Si

Ø 83 mm, rim: inner and overlapping
leak-proof, with hole

heat resistant: -40°C bis 200°C

18 g, PU 200 pcs.

EURO lids Ø 82 mm for CUP Ø 97 mm
MUG Ø 104,5 mm
TUMBLER Ø 75,5 mm

STACKING MUG 25 CL 5.30350

STACKING MUG CLEAR 25 CL 4.13270

STACKING CUP 13 CL 4.05826

ROCK BAR 20 CL 5.17520



1192.42

EURO lid, grey, PP

Ø 82 mm, overlapping rim, with hole
 heat resistant: -20°C to 90°C

12 g, PU 400 pcs.



1192.97

EURO lid, blue, PP

Ø 82 mm, overlapping rim, with hole
 heat resistant: -20°C to 90°C

12 g, PU 400 pcs.



1192.72

EURO lid, grey, PBT

Ø 82 mm, overlapping rim, with hole
 heat resistant: -40°C to 160°C

17 g, PU 400 pcs.

EURO lid Ø 80 mm for TUMBLER Ø 71 mm

LYON 20 CL 4.70180



1228.02

EURO lid, grey, PP

Ø 80 mm, overlapping rim, with hole
 heat resistant: -20°C to 90°C

10 g, PU 300 pcs.



Unsere EURO-Deckel und Teller-Clochen sind seit mehr als 40 Jahren erfolgreich im Einsatz und haben sich in Großküchen für die Gemeinschaftsverpflegung durch Beständigkeit bewährt. Die EURO Artikel werden ausschließlich in Deutschland hergestellt.

Our EURO lids and plate cloches have been in successful use for more than 40 years and have proved their worth in canteen kitchens for communal catering through their durability. The EURO articles are manufactured exclusively in Germany.

Eigenschaften unserer EURO-Deckel und Teller-Clochen

Properties of our EURO lids and plate cloches

Alle Kunststoff-Abdeckungen sind lebensmittelecht.



lebensmittelecht
food safe

All plastic covers are food safe.

Unsere Deckel aus den Kunststoffen PP, PC, PBT, Si und SEBS in blau, grau, braun, glasklar, natur-transparent, rot und rotbraun bewahren ihre Farbintensität.



farbbeständig
colourfast

Our lids made of PP, PC, PBT, Si and SEBS plastics in blue, grey, brown, clear, transparent, red and russet retain their colour intensity.

Die EURO-Deckel geben weder Geschmack noch Geruch ab. Die Speisen werden im Aroma und Geschmack nicht beeinträchtigt.



geschmacksneutral
tasteless

The EURO lids give off neither taste nor smell. Food is not affected in the aroma and taste.

Spülmaschinengeeignet in gewerblichen Spülmaschinen unter Beachtung der vorgegebenen Maschineneinstellung und Verwendung des empfohlenen Spülmittels des Spülmaschinenherstellers.



spülmaschinengeeignet
dishwasher-safe

Dishwasher-safe in commercial dishwashers provided the specified machine settings are observed and the dishwashing detergent recommended by the dishwasher manufacturer is used.

Die Deckel sind reiß- und stoßfest. Die eingesetzten Kunststoffe zeichnen sich durch hohe Bruchsicherheit aus.



bruchsicher
breakproof

The lids are tear-resistant and shock-proof. The plastics used stand out for their high break resistance.

Unsere Abdeckungen sind temperaturbeständig: Die Produkte aus PP behalten bis 90°C, die aus PC bis 120°C und die aus SEBS bis 100°C ihre Eigenschaften. Deckel und Clochen aus PBT sind temperaturbeständig bis 160°C, Silikondeckel sind temperaturbeständig bis 200 °C.



hitzebeständig
heat resistance

Our covers are temperature resistant. Products made of PP retain their properties up to 90°C, those made of PC up to 120°C, and those made of SEBS up to 100°C. Lids and plate cloches made of PBT are temperature-resistant up to 160°C, silicone lids are heat-resistant up to 200°C.

EURO-Deckel sind recyclebar.



recyclebar
recyclable

EURO covers are recyclable.

Sämtliche Deckel und Clochen sind mikrowellenbeständig.



mikrowellenbeständig
microwaveable

All lids and plate cloches are microwaveable.

Für eventuell auftretende Beschädigungen und oder Verfärbungen durch nicht sachgemäßen Gebrauch wie z.B.: durch thermische oder mechanische Überlastung, den direkten Kontakt mit künstlichen oder natürlichen Farbstoffen (können z.B. in Gewürzen enthalten sein), sowie durch ungeeignete und / oder falsch dosierte Reinigungsmittel übernehmen wir keine Garantie oder Haftung.

We do not accept any guarantee or liability for any damage or discolouration caused by improper use, e.g. thermal or mechanical overload, direct contact with artificial or natural dyes (may be contained in spices, for example), or by unsuitable and/or incorrectly dosed cleaning agents.



Verkaufs-, Lieferungs- und Zahlungsbedingungen (Stand 02/20)

1. Geltungsbereich:

a) Diese allgemeinen Geschäftsbedingungen (im Folgenden AGB) gelten für jedes Rechtsgeschäft, an dem die Hubert Bülling GmbH & Co. KG (im Folgenden Verwender) beteiligt ist. Allen etwaigen AGB von Kunden wird bereits jetzt und für die Zukunft vollumfänglich widersprochen. Dieser Widerspruch versteht sich im Sinne einer vollständigen Abwehrklausel.

b) Diese AGB gelten nur gegenüber Kaufleuten im Sinne des Gesetzes (Deutsches Handelsgesetzbuch).

2. Angebotsunterlagen, Bestellung und Haftungsfreistellung

a) Angebote des Verwenders entfallen keine rechtliche Bindungswirkung, sondern sind stets freibleibend. Eine Haftung für etwaige Fehler in Verkaufsprospekten, Preislisten, Angeboten oder sonstigen Unterlagen wird ausdrücklich ausgeschlossen.

b) Wird aufgrund eines individuellen Kundenwunsches gefertigt, stellt der Kunde den Verwender von allen Ansprüchen seitens Dritter wegen der Verletzung gewerblicher Schutzrechte, Patente, Design-, Marken- und Urheberrechte frei, die auf Vorgaben des Kunden hinsichtlich Formen oder sonstigen Vorgaben beruhen. Auf Verlangen des Verwenders hat der Kunde seine Eigentümerstellung bezüglich eines Urheberrechts u. ä. oder die Inhaberschaft von entsprechenden Nutzungsrechten nachzuweisen. Der Kunde hat weiter vor Vertragsschluss auf das etwaige Vorliegen von Rechten Dritter hinzuweisen.

c) Jedwede Verträge kommen erst durch schriftliche Bestätigung des Verwenders zustande.

3. Kaufpreis, Kosten und Werklohn

Kaufpreis und Kosten setzen sich aus dem Nettobetrag und der jeweils gültigen gesetzlichen Umsatzsteuer zusammen.

4. Zahlungsbedingungen, Verzugschaden, Schadenersatz, Aufrechnungen

a) Der Kunde hat vor Eintritt des gesetzlichen Verzugs den Rechnungsbetrag ohne Abzüge zu entrichten.

b) Die Verzugszinsen werden in der gesetzlich maximal zulässigen Höhe (derzeit 9 % über dem Basiszins der europäischen Zentralbank) berechnet.

c) Als Schadenersatz wegen Nichterfüllung werden 12 % der vereinbarten Preise berechnet (pauschalierter Schadenersatz), sofern der Kunde nicht nachweist, dass ein geringerer oder kein Schaden entstanden ist. Der Nachweis eines höheren Schadens bleibt dem Verwender vorbehalten. Der pauschalierte Schadenersatz wird auch bei Annahmeverzug des Kunden fällig.

5. Warensortiment

a) Vertragsgegenstand sind Waren.

b) Eine etwaige Werkleistung des Verwenders beschränkt sich ausschließlich auf den Entwurf, die Herstellung und die anschließende Präsentation von fertigen, auf Kundenveranlassung oder unter Vorlage von Kundenmustern individuell entworfenen, hergestellten und präsentierten Warenmustern. Mit Abnahmebestätigung oder einer ausgelösten Bestellung des präsentierten Warenmusters ist die Werkleistung abgenommen. Die eigentlichen Warenlieferungen unterliegen ausschließlich Kaufrecht.

6. Warenlieferungen

a) Teillieferungen sind zulässig.

b) Der Gefahrenübergang gilt immer „ab Werk“, gleich wer den Transport durchführt, auslöst oder schuldet. Bei Abholung durch den Kunden geht die Gefahr mit der Übersendung der Abholungsbenachrichtigung auf den Kunden über.

c) In Fällen der höheren Gewalt, unverschuldeten Leistungshindernissen und Ähnlichem ist der Verwender berechtigt, eine angemessene Nachlieferungsfrist entsprechend der Dauer der Liefererschwerung in Anspruch zu nehmen, höchstens aber sechs Wochen. Verwender und Kunde haben nach Ablauf dieser Frist das Recht, vom Vertrag zurückzutreten. Gegenseitige Ansprüche bestehen in diesem Fall nicht.

7. Eigentumsvorbehalt

Sämtliche gelieferte Ware des Verwenders bleibt bis zur vollständigen Bezahlung des Kaufpreises einschließlich sonstiger Forderungen aus der Geschäftsbeziehung im Eigentum des Verwenders. Ergänzend wird der verlängerte Eigentumsvorbehalt vereinbart.

8. Gewährleistung

a) Der Kunde muss die Ware im Sinne des § 377 (Deutsches) HGB untersuchen und unverzüglich etwaige Mängelrügen erheben. Die Rüge muss spätestens innerhalb von 3 Werktagen erfolgen, eine Rüge nach Weiterveräußerung, Verbrauch, Verarbeitung, Verbindung oder Vermischung ist ausgeschlossen.

b) Der Kunde kann die üblichen Gewährleistungsrechte erst dann verlangen, wenn ein Nachbesserungsversuch oder eine Ersatzlieferung nach Wahl des Verwenders gescheitert sind.

c) Der Verwender haftet grundsätzlich nur für Vorsatz und grobe Fahrlässigkeit, bei Verletzung einer wesentlichen Vertragspflicht auch für normale Fahrlässigkeit.

9. Urheberrechte, gewerbliche Schutzrechte

Die Produkte des Verwenders sind durch Urheber- oder sonstige Schutzrechte geschützt. Nachahmungen, Veränderungen oder Bearbeitungen sind verboten.

10. Erfüllungsort, Gerichtsstand, Salvatorische Klausel

a) Erfüllungsort für die Lieferung ist stets der Versandort Bad Driburg, Erfüllungsort für alle Verpflichtungen des Kunden ist der Sitz des Verwenders.

b) Ausdrücklich wird zwischen den Parteien der Gerichtsstand Paderborn vereinbart.

c) Sollten einzelne Klauseln dieser vorstehenden Bedingungen ganz oder teilweise ungültig sein oder werden, so berührt das die Wirksamkeit der übrigen Klauseln bzw. der übrigen Teile solcher Klauseln nicht.

d) Von den vorstehenden AGB abweichende Vereinbarungen bedürfen zu ihrer Wirksamkeit der ausdrücklichen Vereinbarung und Schriftform.

Terms and Conditions of Sale, Delivery and Payment (Updated: 02/20)

1. Application

a) These General Terms and Conditions (hereinafter referred to as GTC) apply to every legal transaction in which the Hubert Bülling GmbH & Co. KG (hereinafter referred to as USER) is involved. Any GTC of the Customer are hereby rejected with immediate effect and for the future in their entirety. This rejection shall be interpreted within the meaning of a complete protective clause.

b) These GTC apply only to merchants as defined by law (German Commercial Code).

2. Quotation documents, order and release from liability

a) Quotations by the User develop no legal binding, but are always free of commitment. Liability for any errors in sales brochures, price lists, quotations and other documents is expressly excluded.

b) If production takes place on the basis of an individual Customer request, the Customer shall release the User from all claims by third parties with respect to the infringement of industrial property rights, registered designs, patents, brands and copyright that are attributable to specifications of the Customer regarding shapes or other specifications. On request by the User, the Customer shall provide evidence of ownership or corresponding user rights. Furthermore, the Customer shall give notice of the existence of any rights of third parties prior to entering into the contract.

c) Any contract shall not enter into effect without written confirmation by the User.

3. Purchase price, costs and compensation for work

Purchase price and costs are comprised of the net amount and the currently applicable statutory value added tax.

4. Terms and conditions of payment, default, damages, set-off

a) The Customer shall pay, before statutory arrear occurs, the invoice total net.

b) The interest on arrears will be charged in the maximum legally permitted amount (actually 9 % above the base interest rate charged by the European Central Bank).

c) 12 % of the agreed prices will be charged for damages for non-performance (blanket damages) if the Customer fails to prove that the loss was lower or no loss occurred. The User reserves the right to prove a higher loss. The blanket damages shall also become due if the Customer delays acceptance.

5. Range of merchandise

a) The subject matter of the contract is merchandise.

b) Any work performed by the User is restricted exclusively to the design, manufacture and subsequent presentation of finished merchandise samples individually designed, manufactured and presented at the instigation of the Customer or on the basis of Customer samples. With confirmation of acceptance or an initiated order of the presented merchandise sample the performance shall be deemed to have been accepted. The actual deliveries of merchandise are subject exclusively to sales law.

6. Deliveries of merchandise

a) Partial deliveries are permissible.

b) The transfer of risk applies always "ex works", regardless of who performs, initiates or is liable for the transport. If the Customer collects the merchandise, the risk is transferred to the Customer upon transmission of the collection notification.

c) In the event of force majeure, impediments to performance and similar events for which the User is not responsible, the User is entitled to apply an appropriate period to the delivery date according to the duration of the impediment to delivery, but no longer than six weeks. After said extension has elapsed, the User and Customer are entitled to withdraw from the contract. Reciprocal claims do not apply in this case.

7. Retention of title

All deliveries of merchandise by the User shall remain in the ownership of the User until the complete payment of the purchase price, including other claims arising from the business relationship. The parties also agree to extended retention of title.

8. Warranty

a) The Customer must inspect the merchandise within the meaning of § 377 (German) HGB (Commercial Code) and immediately report any defects. The notice of defects must be submitted no later than within 3 working days. A notice of defects after resale, use, processing, combining or mixing is excluded.

b) The Customer may not demand the customary warranty rights until an attempt to remedy the defect has failed or a replacement delivery (at the User's discretion) have failed.

c) The User is liable in principle only for willful intent and gross negligence; if another material contractual duty is breached, the User is also liable for simple negligence.

9. Proprietary rights, industrial property rights

The User's products are protected by proprietary or other trademark rights. Imitations, alterations or processing are prohibited.

10. Place of performance, legal venue, severability

a) The place of performance for deliveries is always Bad Driburg. The place of performance for all obligations of the Customer is the registered office of the User.

b) The legal venue Paderborn is expressly agreed between the parties.

c) If any clause of these terms and conditions are or become invalid in its entirety or in part, this shall not affect the validity of the remaining clauses or the other parts of such clauses.

d) Any agreements deviating from the above GTC require express agreement and the written form to be legally effective.







plastic covers matching



CAREWARE™
Durable & Secure Glass

Büling

NOTES









plastic covers matching



CAREWARE™
Durable & Secure Glass

Büling

NOTES









plastic covers matching



CAREWARE™
Durable & Secure Glass

Büling

NOTES



Büling

Hubert Bülling GmbH & Co. KG
Schulstraße 8
D-33014 Bad Driburg

Tel.: +49 5253 2359

Fax: +49 5253 4526

www.buelling-euro-deckel.com
info@buelling-euro-deckel.com



CAREWARE™
Durable & Secure Glass